


SEP- Salmonid Enhancement Program Fisheries and Oceans Canada

Initiated in 1977 and supports:

- Salmon stock rebuilding
- Fishing opportunities
- □ Hatchery stocks used as indicators for wild salmon stock assessments




- □ Employment and developing stewardship and partnerships with in aboriginal and rural communities.
- □Education about salmon and the aquatic environment
- □Over 10,000 volunteers assist with restoration and enhancement activities

• Red dots are locations of SEP related facilities / projects





Enhancement Program



Community Programs



SEP Overview



Resource Restoration

- 200+ restoration projects with community, corporate and FN partners
- Watershed planning
- Salmon recovery
- Net gain of fish habitat
- □ Current spending ~ \$3M / 27 FTE's

Major Enhancement Facilities Annual release of 430M juvenile salmon (2005)

- 23 SEP operated facilities and managed spawning channels (14 major hatcheries)
- 21 contracted community and First Nation operated facilities (CEDP)
- Production objectives are Conservation+ Sustaining fisheries
- Current spending ~ \$19.5M / 163 FTE's *

Community Programs

- 18 Community Advisors
- Partnering
- Education and Awareness (e.g. Stream to Sea)
- □ 10,000+ volunteers
- 300 small scale volunteer projects (incl. 170 hatchery/incubation projects)
- Current Spending ~ \$3.2M / 23FTE's

Total Budget:


\$25.7M

213 FTE's






Juvenile Salmon Releases from Hatcheries and Spawning Channels







Northern BC Enhancement Facilities



- ■1 Major Hatchery
- ■8 Community Contract Hatcheries
- □11 Community/ Volunteer Organization Hatcheries
- □3 Large spawning Channels
- □20+ habitat restoration projects



Kitimat Hatchery







Federal Production Hatchery

- □Chinook 9000 adults from 2,200,000 smolts.
- □Coho– 10,000 adults from 500, 000 smolts.
- □Chum 40,000 adults from 4,000,000 smolts.



Toboggan Creek



Upper Skeena River- Bulkley River





Community Contract Hatchery

- □Chinook 200 adults from 50,000 smolts
- □Coho- 2500 adults from 50,000 smolts
 - □Indicator stock coded wire tagged



North Coast Community/Volunteer Program



Total Enhanced Production:

- **□**150,000 coho smolts
- □ 500,000 coho fry
- 120,000 Chinook 1+ smolts Releases into approximately 30 streams
- □ CWT provides improved survival trend and harvest information used for the management of North Coast Chinook and coho salmon.



Babine Lake Spawning Channels



Fulton River and Pinkut Creek



Federal Production Spawning Channels

Fulton River Channels-1,500,000 adults from 100,000,000 fry.

Pinkut Channel- 800,000 adults from 40,000,000 fry

■Mixed stock fishery impacts to other Skeena River salmon populations.